











Patch Panel --Product sheet

Photo/Model No.	Size	Core	Remark	Max.core
PZ-48A series	model /dimension	12 -48 core	metal box	Max 48 core
	MS-PZ-48A/48 330(L)x183(w)x70(H)mm	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories	Max.48core
		24Core		
		36Core		
		48Core		
	MS-PZ-48A/24 330(L)x183(W)x70(H)mm	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories	Max.24core
		24Core		
	MS-PZ-48A/CQ48 330(L)x183(W)x70(H)mm	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories	Max.48core
		24Core		
		36Core		
		48Core		
	MS-PZ-48A/FC12 330(L)x183(w)x70(H)mm	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.12core
	MS-PZ-48A/SC12 330(L)x183(w)x70(H)mm	12core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.12core
	MS-PZ-48A/ST12 330(L)x183(W)x70(H)mm	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.12core
	MS-PZ-48AFC24 330(L)x183(W)x100(H)mm	24Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.24core
	MS-PZ-48AFC36 330(L)x220(W)x100(H)mm	36Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.36
	MS-PZ-48AFC48 330(L)x250(W)x100(H)mm	48Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.48core
	MS-PZ-/G-24A 300(L)x120(W)x40(H)mm	24Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories	Max.24core

PZ-JJ series					
	MS-PZ/JJ-FC24	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.24core	
		24Core			
	480(L)x 250(w)x44.5(H)mm				
	MS-PZ/JJ-SC24	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.24core	
		24Core			
	480(L)x250(w)x44.5(H)mm				
	MS-PZ/JJ-ST24	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.24core	
		24Core			
	480(L)x250(w)x44.5(H)mm				
	MS-PZ/JJ-FC48	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.48core	
		24Core			
	480(L)x250(w)x89(H)mm	36Core			
		48Core			
	MS-PZ/JJ-SC48	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.48core	
		24Core			
	480(L)x250(w)x89(H)mm	36Core			
		48Core			
	MS-PZ/JJ-CL/2SC24	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.48core	
		24Core			
	300(L)x430(w)x44.5(H)mm	48Core			
	MS-PZ/JJ-CLA/SC24	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.24core	
		24Core			
	MS-PZ/JJ-JCL-FC/SC	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.24core	
		24Core			
	480(L)x300(w)x44.5(H)mm	36Core			
		48Core			
	MS-PZ/JJ-JCL-2SC24	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.48core	
		24Core			
	480(L)x300(W)x44.5(H)mm	36Core			
		48Core			
	MS-PZ/JJ-FCZ-2SC24	12Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.48core	
		24Core			
	480(L)x300(w)x44.5(H)mm				
	MS-PZ/WL-FC8	8Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.8	
		260(L)x140(w)x40(H)mm			

	MS-PZ/WL-SC8	8Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.8
	260(L)x140(w)x40(H)mm			
	MS-PZ/WL-ST8	8Core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.8
	260(L)x140(w)x40(H)mm			
	MS-PZ/WLA-SC8	8core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.8
	220(L)x110(w)x40(H)mm			
	MS-PZ/WLA-JY/CQ12	8core	Metal box,metal hold,and splicing tray,shrinking protection and accessories(w/o pigtail,adapter)	Max.12core
	175(L)x110(w)x30(H)mm			